

# Shaft Collars & Couplings

## Solid Collars

Zinc Plated Shaft Collars

Stainless Steel Shaft Collars

Nylon Shaft Collars

Zinc Plated Shaft Collar – 2 Screws

## Split Collars

Single Split Black Oxide Shaft Collars

Double Split Black Oxide Shaft Collars

Double Split Black Oxide Shaft Collars

Threaded Bored Stainless Steel Shaft Collars

Double Split Aluminum Shaft Collars

Metric Single Split Black Oxide Shaft Collars

Metric Single Split Stainless Steel Shaft Collars

## Rigid Couplings

Black Oxide Rigid Couplings

## Split Couplings

Single Split Black Oxide Couplings

Double Split Black Oxide Couplings

## Unplated Shaft Collars

316 Stainless Steel Shaft Collars

Metric Shaft Collars

## Black Oxide Shaft Collar

Oversize Shaft Collars

Metric Stainless Steel Shaft Collars

Single Split Stainless Steel Shaft Collars

Double Split Stainless Steel Shaft Collars

Threaded Bore Black Oxide Shaft Collars

Single Split Aluminum Shaft Collars

Double Split Nylon Shaft Collars

Metric Double Split Black Oxide Shaft

Metric Double Split Stainless Steel Shaft

Stainless Steel Rigid Couplings

Single Split Stainless Steel Couplings

Double Split Black Oxide Couplings



## JCSB Industrial, Inc.

P. O. Box 91413 | City of Industry | CA 91715-1413

Email: [sales@jcsbinc.com](mailto:sales@jcsbinc.com)

[www.JCSBInc.com](http://www.JCSBInc.com)

Visit Us Website for more information

## Solid Collars – Zinc Plated

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
SC-006	1/16	1/4	3/16	2-56	0.1
SC-009	3/32	3/8	3/16	6-32	0.1
SC-012	1/8	3/8	1/4	6-32	0.1
SC-015	5/32	7/16	1/4	8-32	0.1
SC-018	3/16	7/16	1/4	8-32	0.2
SC-025	1/4	1/2	5/16	10-32	0.2
SC-026	17/64	5/8	5/16	10-32	0.3
SC-031	5/16	5/8	5/16	10-32	0.3
SC-037	3/8	3/4	3/8	1/4-20	0.5
SC-043	7/16	7/8	7/16	1/4-20	0.8
SC-050	1/2	1	7/16	1/4-20	1.1
SC-056	9/16	1	7/16	1/4-20	1.0
SC-062	5/8	1 1/8	1/2	5/16-18	1.5
SC-068	11/16	1 1/4	9/16	5/16-18	2.0
SC-075	3/4	1 1/4	9/16	5/16-18	1.9
SC-081	13/16	1 5/16	9/16	5/16-18	2.1
SC-087	7/8	1 1/2	9/16	5/16-18	2.4
SC-093	15/16	1 1/2	9/16	5/16-18	2.4
SC-100	1	1 5/8	5/8	5/16-18	3.7
SC-106	1 1/16	1 3/4	5/8	5/16-18	4.0
SC-112	1 1/8	1 3/4	5/8	5/16-18	3.9
SC-118	1 3/16	2	11/16	3/8-16	6.0
SC-125	1 1/4	2	11/16	3/8-16	5.8
SC-131	1 5/16	2 1/8	11/16	3/8-16	6.5
SC-137	1 3/8	2 1/8	3/4	3/8-16	6.5
SC-143	1 7/16	2 1/4	3/4	3/8-16	7.6
SC-150	1 1/2	2 1/4	3/4	3/8-16	7.4
SC-156	1 9/16	2 1/2	13/16	3/8-16	10.5
SC-162	1 5/8	2 1/2	13/16	3/8-16	10.4
SC-168	1 11/16	2 1/2	13/16	3/8-16	10.1
SC-175	1 3/4	2 5/8	7/8	1/2-13	11.4
SC-181	1 13/16	2 3/4	7/8	1/2-13	12.8
SC-187	1 7/8	2 3/4	7/8	1/2-13	12.5
SC-193	1 15/16	3	7/8	1/2-13	16.4
SC-200	2	3	7/8	1/2-13	16.0
SC-206	2 1/16	3	7/8	1/2-13	15.6
SC-212	2 1/8	3	7/8	1/2-13	15.2
SC-218	2 3/16	3 1/4	15/16	1/2-13	18.6
SC-225	2 1/4	3 1/4	15/16	1/2-13	18.0
SC-231	2 5/16	3 1/4	15/16	1/2-13	17.0
SC-237	2 3/8	3 1/4	15/16	1/2-13	16.0
SC-243	2 7/16	3 1/2	1	1/2-13	21.0
SC-250	2 1/2	3 1/2	1	1/2-13	20.0
SC-256	2 9/16	3 3/4	1 1/8	1/2-13	30.0
SC-262	2 5/8	4	1 1/8	1/2-13	36.0
SC-268	2 11/16	4	1 1/8	1/2-13	35.0
SC-275	2 3/4	4	1 1/8	1/2-13	34.0
SC-287	2 7/8	4 1/4	1 1/8	1/2-13	38.0
SC-293	2 15/16	4 1/4	1 1/8	1/2-13	37.0
SC-300	3	4 1/4	1 1/8	1/2-13	36.0
SC-318	3 3/16	4 1/4	1 1/8	1/2-13	35.0
SC-343	3 7/16	4 1/2	1 1/8	1/2-13	44.0
SC-350	3 1/2	4 1/2	1 1/8	1/2-13	43.0

SC-375	3 3/4	4 3/4	1 1/8	1/2-13	25.5
SC-393	3 15/16	5	1 1/8	1/2-13	48.0
SC-400	4	5	1 1/8	1/2-13	46.0
SC-443	4 7/16	6 1/4	1 3/8	5/8-11	72.0
SC-450	4 1/2	6 1/4	1 3/8	5/8-11	71.0
SC-493	4 15/16	6 3/8	1 3/8	5/8-11	80.0
SC-500	5	6 1/2	1 3/8	5/8-11	64.2
SC-543	5 7/16	6 1/2	1 3/8	5/8-11	46.6
SC-550	5 1/2	6 1/2	1 3/8	5/8-11	44.7
SC-593	5 15/16	7	1 3/8	5/8-11	51.1
SC-600	6	7	1 3/8	5/8-11	47.9

### Solid Collars – Unplated

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
USC-006	1/16	1/4	3/16	2-56	0.1
USC-009	3/32	3/8	3/16	6-32	0.1
USC-012	1/8	3/8	1/4	6-40	0.1
USC-015	5/32	7/16	1/4	8-32	0.1
USC-018	3/16	7/16	1/4	8-32	0.2
USC-025	1/4	1/2	5/16	10-32	0.2
USC-026	17/64	5/8	5/16	10-32	0.3
USC-031	5/16	5/8	5/16	10-32	0.3
USC-037	3/8	3/4	3/8	1/4-20	0.5
USC-043	7/16	7/8	7/16	1/4-20	0.8
USC-050	1/2	1	7/16	1/4-20	1.1
USC-056	9/16	1	7/16	1/4-20	1.0
USC-062	5/8	1 1/8	1/2	5/16-18	1.5
USC-068	11/16	1 1/4	9/16	5/16-18	2.0
USC-075	3/4	1 1/4	9/16	5/16-18	1.9
USC-081	13/16	1 5/16	9/16	5/16-18	2.1
USC-087	7/8	1 1/2	9/16	5/16-18	2.4
USC-093	15/16	1 1/2	9/16	5/16-18	2.4
USC-100	1	1 5/8	5/8	5/16-18	3.7
USC-106	1 1/16	1 3/4	5/8	5/16-18	4.0
USC-112	1 1/8	1 3/4	5/8	5/16-18	3.9
USC-118	1 3/16	2	11/16	3/8-16	6.0
USC-125	1 1/4	2	11/16	3/8-16	5.8
USC-131	1 5/16	2 1/8	11/16	3/8-16	6.5
USC-137	1 3/8	2 1/8	3/4	3/8-16	6.5
USC-143	1 7/16	2 1/4	3/4	3/8-16	7.6
USC-150	1 1/2	2 1/4	3/4	3/8-16	7.4
USC-156	1 9/16	2 1/2	13/16	3/8-16	10.5
USC-162	1 5/8	2 1/2	13/16	3/8-16	10.4
USC-168	1 11/16	2 1/2	13/16	3/8-16	10.1
USC-175	1 3/4	2 5/8	7/8	1/2-13	11.4
USC-181	1 13/16	2 3/4	7/8	1/2-13	12.8
USC-187	1 7/8	2 3/4	7/8	1/2-13	12.5
USC-193	1 15/16	3	7/8	1/2-13	16.4
USC-200	2	3	7/8	1/2-13	16.0
USC-206	2 1/16	3	7/8	1/2-13	15.6
USC-212	2 1/8	3	7/8	1/2-13	15.2
USC-218	2 3/16	3 1/4	15/16	1/2-13	18.6
USC-225	2 1/4	3 1/4	15/16	1/2-13	18.0
USC-231	2 5/16	3 1/4	15/16	1/2-13	17.0
USC-237	2 3/8	3 1/4	15/16	1/2-13	16.0
USC-243	2 7/16	3 1/2	1	1/2-13	21.0
USC-250	2 1/2	3 1/2	1	1/2-13	20.0
USC-256	2 9/16	3 3/4	1 1/8	1/2-13	30.0
USC-262	2 5/8	4	1 1/8	1/2-13	36.0
USC-268	2 11/16	4	1 1/8	1/2-13	35.0

USC-275	2 3/4	4	1 1/8	1/2-13	34.0
USC-287	2 7/8	4 1/4	1 1/8	1/2-13	38.0
USC-293	2 15/16	4 1/4	1 1/8	1/2-13	37.0
USC-300	3	4 1/4	1 1/8	1/2-13	36.0
USC-318	3 3/16	4 1/4	1 1/8	1/2-13	35.0
USC-343	3 7/16	4 1/2	1 1/8	1/2-13	44.0
USC-350	3 1/2	4 1/2	1 1/8	1/2-13	43.0

### Solid Collars – Black Oxide

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
BSC-006	1/16	1/4	3/16	2-56	0.1
BSC-009	3/32	3/8	3/16	6-32	0.1
BSC-012	1/8	3/8	1/4	6-32	0.1
BSC-015	5/32	7/16	1/4	8-32	0.1
BSC-018	3/16	7/16	1/4	8-32	0.2
BSC-025	1/4	1/2	5/16	10-32	0.2
BSC-026	17/64	5/8	5/16	10-32	0.3
BSC-031	5/16	5/8	5/16	10-32	0.3
BSC-037	3/8	3/4	3/8	1/4-20	0.5
BSC-043	7/16	7/8	7/16	1/4-20	0.8
BSC-050	1/2	1	7/16	1/4-20	1.1
BSC-056	9/16	1	7/16	1/4-20	1.0
BSC-062	5/8	1 1/8	1/2	5/16-18	1.5
BSC-068	11/16	1 1/4	9/16	5/16-18	2.0
BSC-075	3/4	1 1/4	9/16	5/16-18	1.9
BSC-081	13/16	1 5/16	9/16	5/16-18	2.1
BSC-087	7/8	1 1/2	9/16	5/16-18	2.4
BSC-093	15/16	1 1/2	9/16	5/16-18	2.4
BSC-100	1	1 5/8	5/8	5/16-18	3.7
BSC-106	1 1/16	1 3/4	5/8	5/16-18	4.0
BSC-112	1 1/8	1 3/4	5/8	5/16-18	3.9
BSC-118	1 3/16	2	11/16	3/8-16	6.0
BSC-125	1 1/4	2	11/16	3/8-16	5.8
BSC-131	1 5/16	2 1/8	11/16	3/8-16	6.5
BSC-137	1 3/8	2 1/8	3/4	3/8-16	6.5
BSC-143	1 7/16	2 1/4	3/4	3/8-16	7.6
BSC-150	1 1/2	2 1/4	3/4	3/8-16	7.4
BSC-156	1 9/16	2 1/2	13/16	3/8-16	10.5
BSC-162	1 5/8	2 1/2	13/16	3/8-16	10.4
BSC-168	1 11/16	2 1/2	13/16	3/8-16	10.1
BSC-175	1 3/4	2 5/8	7/8	1/2-13	11.4
BSC-181	1 13/16	2 3/4	7/8	1/2-13	12.8
BSC-187	1 7/8	2 3/4	7/8	1/2-13	12.5
BSC-193	1 15/16	3	7/8	1/2-13	16.4
BSC-200	2	3	7/8	1/2-13	16.0
BSC-206	2 1/16	3	7/8	1/2-13	15.6
BSC-212	2 1/8	3	7/8	1/2-13	15.2
BSC-218	2 3/16	3 1/4	15/16	1/2-13	18.6
BSC-225	2 1/4	3 1/4	15/16	1/2-13	18.0
BSC-231	2 5/16	3 1/4	15/16	1/2-13	17.0
BSC-237	2 3/8	3 1/4	15/16	1/2-13	16.0
BSC-243	2 7/16	3 1/2	1	1/2-13	21.0
BSC-250	2 1/2	3 1/2	1	1/2-13	20.0
BSC-256	2 9/16	3 3/4	1 1/8	1/2-13	30.0
BSC-262	2 5/8	4	1 1/8	1/2-13	36.0
BSC-268	2 11/16	4	1 1/8	1/2-13	35.0
BSC-275	2 3/4	4	1 1/8	1/2-13	34.0
BSC-287	2 7/8	4 1/4	1 1/8	1/2-13	38.0
BSC-293	2 15/16	4 1/4	1 1/8	1/2-13	37.0
BSC-300	3	4 1/4	1 1/8	1/2-13	36.0

BSC-318	3 3/16	4 1/4	1 1/8	1/2-13	35.0
BSC-343	3 7/16	4 1/2	1 1/8	1/2-13	44.0
BSC-350	3 1/2	4 1/2	1 1/8	1/2-13	43.0

### Solid Collars – Stainless Steel

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
SSC-012	1/8	3/8	1/4	6-32	0.1
SSC-018	3/16	7/16	1/4	8-32	0.2
SSC-025	1/4	1/2	5/16	10-32	0.2
SSC-031	5/16	5/8	5/16	10-32	0.3
SSC-037	3/8	3/4	3/8	1/4-20	0.5
SSC-043	7/16	7/8	7/16	1/4-20	0.8
SSC-050	1/2	1	7/16	1/4-20	1.1
SSC-056	9/16	1	7/16	1/4-20	1.0
SSC-062	5/8	1 1/8	1/2	5/16-18	1.5
SSC-068	11/16	1 1/4	9/16	5/16-18	2.0
SSC-075	3/4	1 1/4	9/16	5/16-18	1.9
SSC-081	13/16	1 5/16	9/16	5/16-18	2.1
SSC-087	7/8	1 1/2	9/16	5/16-18	2.4
SSC-093	15/16	1 1/2	9/16	5/16-18	2.4
SSC-100	1	1 5/8	5/8	5/16-18	3.7
SSC-106	1 1/16	1 3/4	5/8	5/16-18	4.0
SSC-112	1 1/8	1 3/4	5/8	5/16-18	3.9
SSC-118	1 3/16	2	11/16	3/8-16	6.0
SSC-125	1 1/4	2	11/16	3/8-16	5.8
SSC-131	1 5/16	2 1/8	11/16	3/8-16	6.5
SSC-137	1 3/8	2 1/8	3/4	3/8-16	6.5
SSC-143	1 7/16	2 1/4	3/4	3/8-16	7.6
SSC-150	1 1/2	2 1/4	3/4	3/8-16	7.4
SSC-156	1 9/16	2 1/2	13/16	3/8-16	10.5
SSC-162	1 5/8	2 1/2	13/16	3/8-16	10.4
SSC-168	1 11/16	2 1/2	13/16	3/8-16	10.1
SSC-175	1 3/4	2 5/8	7/8	1/2-13	11.4
SSC-181	1 13/16	2 3/4	7/8	1/2-13	12.8
SSC-187	1 7/8	2 3/4	7/8	1/2-13	12.5
SSC-193	1 15/16	3	7/8	1/2-13	16.4
SSC-200	2	3	7/8	1/2-13	16.0
SSC-212	2 1/8	3	7/8	1/2-13	15.2
SSC-218	2 3/16	3 1/4	15/16	1/2-13	18.6
SSC-225	2 1/4	3 1/4	15/16	1/2-13	18.0
SSC-237	2 3/8	3 1/4	15/16	1/2-13	16.0
SSC-243	2 7/16	3 1/2	1	1/2-13	21.0
SSC-250	2 1/2	3 1/2	1	1/2-13	20.0
SSC-262	2 5/8	4	1 1/8	1/2-13	36.0
SSC-268	2 11/16	4	1 1/8	1/2-13	35.0
SSC-275	2 3/4	4	1 1/8	1/2-13	34.0
SSC-287	2 7/8	4 1/4	1 1/8	1/2-13	38.0
SSC-293	2 15/16	4 1/4	1 1/8	1/2-13	37.0
SSC-300	3	4 1/4	1 1/8	1/2-13	36.0
SSC-343	3 7/16	4 1/2	1 1/8	1/2-13	44.0
SSC-393	3 15/16	5	1 1/8	1/2-13	48.0

### Solid Collars – 316 Stainless Steel

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
CSSC-012	1/8	3/8	1/4	6-32	0.1

CSSC-018	3/16	7/16	1/4	8-32	0.2
CSSC-025	1/4	1/2	5/16	10-32	0.2
CSSC-031	5/16	5/8	5/16	10-32	0.3
CSSC-037	3/8	3/4	3/8	1/4-20	0.5
CSSC-043	7/16	7/8	7/16	1/4-20	0.8
CSSC-050	1/2	1	7/16	1/4-20	1.1
CSSC-062	5/8	1 1/8	1/2	5/16-18	1.5
CSSC-075	3/4	1 1/4	9/16	5/16-18	1.9
CSSC-087	7/8	1 1/2	9/16	5/16-18	2.4
CSSC-100	1	1 5/8	5/8	5/16-18	3.7
CSSC-125	1 1/4	2	11/16	3/8-16	5.8
CSSC-150	1 1/2	2 1/4	3/4	3/8-16	7.4

**Solid Collars – Oversized**

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
OSC-062	5/8 + .010	1 1/8	1/2	5/16-18	1.5
OSC-075	3/4 + .010	1 1/4	9/16	5/16-18	1.9
OSC-100	1 + .010	1 5/8	5/8	5/16-18	3.7
OSC-125	1 1/4 + .010	2	11/16	3/8-16	5.8
OSC-150	1 1/2 + .010	2 1/4	3/4	3/8-16	7.4
OSC-200	2 + .010	3	7/8	1/2-13	16.0

**Solid Collars – Nylon**

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
NC-025	1/4	1/2	5/16	10-32	0.1
NC-031	5/16	5/8	5/16	10-32	0.1
NC-037	3/8	3/4	3/8	1/4-20	0.1
NC-050	1/2	1	7/16	1/4-20	0.2
NC-062	5/8	1 1/8	1/2	5/16-18	0.3
NC-075	3/4	1 1/4	9/16	5/16-18	0.3
NC-087	7/8	1 1/2	9/16	5/16-18	0.5
NC-100	1	1 5/8	5/8	5/16-18	0.6
NC-125	1 1/4	2	11/16	3/8-16	0.9

## Solid Collars – Metric

Part #	Bore (mm)	O.D. (mm)	Width (mm)	Screw	Weight (oz)
MSC-04	4	8	5	M2	0.1
MSC-05	5	10	6	M3	0.1
MSC-06	6	12	8	M4	0.2
MSC-08	8	16	8	M4	0.3
MSC-10	10	20	10	M5	0.6
MSC-12	12	22	12	M6	0.8
MSC-13	13	22	12	M6	1.0
MSC-14	14	25	12	M6	1.0
MSC-15	15	25	12	M6	1.0
MSC-16	16	28	12	M6	1.3
MSC-18	18	32	14	M6	2.0
MSC-20	20	32	14	M6	1.7
MSC-22	22	36	14	M6	2.3
MSC-24	24	40	14	M8	3.0
MSC-25	25	40	16	M8	3.2
MSC-28	28	45	16	M8	4.1
MSC-30	30	45	16	M8	3.8
MSC-32	32	50	16	M8	4.9
MSC-35	35	56	16	M8	6.4
MSC-36	36	56	16	M8	6.1
MSC-38	38	56	16	M8	5.7
MSC-40	40	63	18	M10	7.5
MSC-45	45	70	18	M10	12.6
MSC-50	50	80	18	M10	13.6

## Solid Collars – Metric Stainless Steel

Part #	Bore (mm)	O.D. (mm)	Width (mm)	Screw	Weight (oz)
MSSC-04	4	8	5	M2	0.1
MSSC-05	5	10	6	M3	0.1
MSSC-06	6	12	8	M4	0.2
MSSC-08	8	16	8	M4	0.3
MSSC-13	13	22	12	M6	1.0
MSSC-14	14	25	12	M6	1.0
MSSC-15	15	25	12	M6	1.0
MSSC-16	16	28	12	M6	1.3
MSSC-18	18	32	14	M6	2.0
MSSC-20	20	32	14	M6	1.7
MSSC-22	22	36	14	M6	2.3
MSSC-24	24	40	14	M8	3.0
MSSC-25	25	40	16	M8	3.2
MSSC-28	28	45	16	M8	4.1
MSSC-30	30	45	16	M8	3.8
MSSC-32	32	50	16	M8	4.9
MSSC-35	35	56	16	M8	6.4
MSSC-36	36	56	16	M8	6.1
MSSC-38	38	56	16	M8	5.7
MSSC-40	40	63	18	M10	7.5
MSSC-45	45	70	18	M10	12.6
MSSC-50	50	80	18	M10	13.6

## Solid Collars – Zinc Plated – 2 Screws

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
SC-025-2-90	1/4	1/2	5/16	10-32	0.2
SC-037-2-90	3/8	3/4	3/8	1/4-20	0.5
SC-050-2-90	1/2	1	7/16	1/4-20	1.1
SC-062-2-90	5/8	1 1/8	1/2	5/16-18	1.5
SC-075-2-90	3/4	1 1/4	9/16	5/16-18	1.9
SC-081-2-90	13/16	1 5/16	9/16	5/16-18	2.1
SC-087-2-90	7/8	1 1/2	9/16	5/16-18	2.4
SC-100-2-90	1	1 5/8	5/8	5/16-18	3.7
SC-112-2-90	1 1/8	1 3/4	5/8	5/16-18	3.9
SC-118-2-90	1 3/16	2	11/16	3/8-16	6.0
SC-125-2-90	1 1/4	2	11/16	3/8-16	5.8
SC-143-2-90	1 7/16	2 1/4	3/4	3/8-16	7.6
SC-150-2-90	1 1/2	2 1/4	3/4	3/8-16	7.4
SC-168-2-90	1 11/16	2 1/2	13/16	3/8-16	10.1
SC-175-2-90	1 3/4	2 5/8	7/8	1/2-13	11.4
SC-193-2-90	1 15/16	3	7/8	1/2-13	16.4
SC-200-2-90	2	3	7/8	1/2-13	16.0
SC-218-2-90	2 3/16	3 1/4	15/16	1/2-13	18.6
SC-243-2-90	2 7/16	3 1/2	1	1/2-13	21.0
SC-250-2-90	2 1/2	3 1/2	1	1/2-13	20.0
SC-293-2-90	2 15/16	4 1/4	1 1/8	1/2-13	37.0



## Split Collars – Single Black Oxide

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
1SC-012	1/8	5/8	5/16	4-40	0.3
1SC-018	3/16	5/8	5/16	4-40	0.3
1SC-025	1/4	11/16	5/16	4-40	0.3
1SC-031	5/16	11/16	5/16	4-40	0.5
1SC-037	3/8	7/8	3/8	6-32	0.8
1SC-043	7/16	15/16	3/8	6-32	0.8
1SC-050	1/2	1 1/8	13/32	8-32	1.3
1SC-056	9/16	1 5/16	7/16	10-32	2.1
1SC-062	5/8	1 5/16	7/16	10-32	1.9
1SC-068	11/16	1 1/2	1/2	1/4-28	2.9
1SC-075	3/4	1 1/2	1/2	1/4-28	2.8
1SC-081	13/16	1 5/8	1/2	1/4-28	3.2
1SC-087	7/8	1 5/8	1/2	1/4-28	3.1
1SC-093	15/16	1 3/4	1/2	1/4-28	3.4
1SC-100	1	1 3/4	1/2	1/4-28	3.2
1SC-106	1 1/16	1 7/8	1/2	1/4-28	4.0
1SC-112	1 1/8	1 7/8	1/2	1/4-28	3.8
1SC-118	1 3/16	2 1/16	1/2	1/4-28	4.7
1SC-125	1 1/4	2 1/16	1/2	1/4-28	4.5
1SC-131	1 5/16	2 1/4	9/16	1/4-28	6.4
1SC-137	1 3/8	2 1/4	9/16	1/4-28	6.1
1SC-143	1 7/16	2 1/4	9/16	1/4-28	5.6
1SC-150	1 1/2	2 3/8	9/16	1/4-28	6.4
1SC-156	1 9/16	2 3/8	9/16	1/4-28	6.2
1SC-162	1 5/8	2 5/8	11/16	5/16-24	10.0
1SC-168	1 11/16	2 3/4	11/16	5/16-24	11.0
1SC-175	1 3/4	2 3/4	11/16	5/16-24	10.7
1SC-181	1 13/16	2 7/8	11/16	5/16-24	11.2
1SC-187	1 7/8	2 7/8	11/16	5/16-24	11.3
1SC-193	1 15/16	3	11/16	5/16-24	12.2
1SC-200	2	3	11/16	5/16-24	11.7
1SC-206	2 1/16	3 1/4	3/4	5/16-24	15.7
1SC-212	2 1/8	3 1/4	3/4	5/16-24	15.5
1SC-218	2 3/16	3 1/4	3/4	5/16-24	14.9
1SC-225	2 1/4	3 1/4	3/4	5/16-24	14.3
1SC-231	2 5/16	3 3/8	3/4	5/16-24	16.0
1SC-237	2 3/8	3 1/2	3/4	5/16-24	16.2
1SC-243	2 7/16	3 1/2	3/4	5/16-24	15.7
1SC-250	2 1/2	3 3/4	7/8	3/8-24	22.3
1SC-256	2 9/16	3 7/8	7/8	3/8-24	25.0
1SC-262	2 5/8	3 7/8	7/8	3/8-24	24.0
1SC-268	2 11/16	4	7/8	3/8-24	25.0
1SC-275	2 3/4	4	7/8	3/8-24	24.0
1SC-287	2 7/8	4 1/4	7/8	3/8-24	29.0
1SC-293	2 15/16	4 1/4	7/8	3/8-24	28.5
1SC-300	3	4 1/4	7/8	3/8-24	27.5

## Split Collars – Single Stainless Steel

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
1SSC-012	1/8	5/8	5/16	4-40	0.3
1SSC-018	3/16	5/8	5/16	4-40	0.3
1SSC-025	1/4	11/16	5/16	4-40	0.3
1SSC-031	5/16	11/16	5/16	4-40	0.5
1SSC-037	3/8	7/8	3/8	6-32	0.8
1SSC-043	7/16	15/16	3/8	6-32	0.8
1SSC-050	1/2	1 1/8	13/32	8-32	1.3
1SSC-056	9/16	1 5/16	7/16	10-32	2.1
1SSC-062	5/8	1 5/16	7/16	10-32	1.9
1SSC-068	11/16	1 1/2	1/2	1/4-28	2.9
1SSC-075	3/4	1 1/2	1/2	1/4-28	2.8
1SSC-081	13/16	1 5/8	1/2	1/4-28	3.2
1SSC-087	7/8	1 5/8	1/2	1/4-28	3.1
1SSC-093	15/16	1 3/4	1/2	1/4-28	3.5
1SSC-100	1	1 3/4	1/2	1/4-28	3.2
1SSC-106	1 1/16	1 7/8	1/2	1/4-28	3.9
1SSC-112	1 1/8	1 7/8	1/2	1/4-28	3.8
1SSC-118	1 3/16	2 1/16	1/2	1/4-28	4.7
1SSC-125	1 1/4	2 1/16	1/2	1/4-28	4.5
1SSC-131	1 5/16	2 1/4	9/16	1/4-28	6.2
1SSC-137	1 3/8	2 1/4	9/16	1/4-28	6.1
1SSC-143	1 7/16	2 1/4	9/16	1/4-28	5.6
1SSC-150	1 1/2	2 3/8	9/16	1/4-28	6.4
1SSC-156	1 9/16	2 3/8	9/16	1/4-28	5.9
1SSC-162	1 5/8	2 5/8	11/16	5/16-24	9.7
1SSC-168	1 11/16	2 3/4	11/16	5/16-24	10.7
1SSC-175	1 3/4	2 3/4	11/16	5/16-24	10.7
1SSC-181	1 13/16	2 7/8	11/16	5/16-24	11.2
1SSC-187	1 7/8	2 7/8	11/16	5/16-24	11.3
1SSC-193	1 15/16	3	11/16	5/16-24	12.2
1SSC-200	2	3	11/16	5/16-24	11.7
1SSC-206	2 1/16	3 1/4	3/4	5/16-24	15.7
1SSC-212	2 1/8	3 1/4	3/4	5/16-24	15.2
1SSC-218	2 3/16	3 1/4	3/4	5/16-24	14.9
1SSC-225	2 1/4	3 1/4	3/4	5/16-24	14.3
1SSC-231	2 5/16	3 3/8	3/4	5/16-24	16.0
1SSC-237	2 3/8	3 1/2	3/4	5/16-24	16.5
1SSC-243	2 7/16	3 1/2	3/4	5/16-24	15.7
1SSC-250	2 1/2	3 3/4	7/8	3/8-24	22.3
1SSC-256	2 9/16	3 7/8	7/8	3/8-24	25.0
1SSC-262	2 5/8	3 7/8	7/8	3/8-24	23.9
1SSC-268	2 11/16	4	7/8	3/8-24	25.8
1SSC-275	2 3/4	4	7/8	3/8-24	29.2
1SSC-287	2 7/8	4 1/4	7/8	3/8-24	29.2
1SSC-293	2 15/16	4 1/4	7/8	3/8-24	28.0
1SSC-300	3	4 1/4	7/8	3/8-24	26.8

## Split Collars – Double Black Oxide

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
2SC-012	1/8	5/8	5/16	4-40	0.3
2SC-018	3/16	5/8	5/16	4-40	0.3
2SC-025	1/4	11/16	5/16	4-40	0.3
2SC-031	5/16	11/16	5/16	4-40	0.5
2SC-037	3/8	7/8	3/8	6-32	0.8
2SC-043	7/16	15/16	3/8	6-32	0.8
2SC-050	1/2	1 1/8	13/32	8-32	1.3
2SC-056	9/16	1 5/16	7/16	10-32	2.1
2SC-062	5/8	1 5/16	7/16	10-32	1.9
2SC-068	11/16	1 1/2	1/2	1/4-28	2.9
2SC-075	3/4	1 1/2	1/2	1/4-28	2.8
2SC-081	13/16	1 5/8	1/2	1/4-28	3.2
2SC-087	7/8	1 5/8	1/2	1/4-28	3.1
2SC-093	15/16	1 3/4	1/2	1/4-28	3.4
2SC-100	1	1 3/4	1/2	1/4-28	3.2
2SC-106	1 1/16	1 7/8	1/2	1/4-28	4.0
2SC-112	1 1/8	1 7/8	1/2	1/4-28	3.8
2SC-118	1 3/16	2 1/16	1/2	1/4-28	4.7
2SC-125	1 1/4	2 1/16	1/2	1/4-28	4.5
2SC-131	1 5/16	2 1/4	9/16	1/4-28	6.4
2SC-137	1 3/8	2 1/4	9/16	1/4-28	6.1
2SC-143	1 7/16	2 1/4	9/16	1/4-28	5.6
2SC-150	1 1/2	2 3/8	9/16	1/4-28	6.4
2SC-156	1 9/16	2 3/8	9/16	1/4-28	6.2
2SC-162	1 5/8	2 5/8	11/16	5/16-24	10.0
2SC-168	1 11/16	2 3/4	11/16	5/16-24	11.0
2SC-175	1 3/4	2 3/4	11/16	5/16-24	10.7
2SC-181	1 13/16	2 7/8	11/16	5/16-24	11.7
2SC-187	1 7/8	2 7/8	11/16	5/16-24	11.3
2SC-193	1 15/16	3	11/16	5/16-24	12.2
2SC-200	2	3	11/16	5/16-24	11.7
2SC-206	2 1/16	3 1/4	3/4	5/16-24	15.7
2SC-212	2 1/8	3 1/4	3/4	5/16-24	15.5
2SC-218	2 3/16	3 1/4	3/4	5/16-24	14.9
2SC-225	2 1/4	3 1/4	3/4	5/16-24	14.3
2SC-231	2 5/16	3 3/8	3/4	5/16-24	16.0
2SC-237	2 3/8	3 1/2	3/4	5/16-24	16.2
2SC-243	2 7/16	3 1/2	3/4	5/16-24	15.7
2SC-250	2 1/2	3 3/4	7/8	3/8-24	22.3
2SC-256	2 9/16	3 7/8	7/8	3/8-24	25.0
2SC-262	2 5/8	3 7/8	7/8	3/8-24	24.0
2SC-268	2 11/16	4	7/8	3/8-24	25.0
2SC-275	2 3/4	4	7/8	3/8-24	24.0
2SC-287	2 7/8	4 1/4	7/8	3/8-24	29.0
2SC-293	2 15/16	4 1/4	7/8	3/8-24	28.5
2SC-300	3	4 1/4	7/8	3/8-24	27.5
2SC-318	3 3/16	4 1/2	7/8	3/8-24	29.2
2SC-325	3 1/4	4 1/2	7/8	3/8-24	28.2
2SC-343	3 7/16	4 3/4	7/8	3/8-24	28.0
2SC-350	3 1/2	4 3/4	7/8	3/8-24	27.0
2SC-375	3 3/4	5	7/8	3/8-24	31.0
2SC-393	3 15/16	5 1/4	7/8	3/8-24	35.0
2SC-400	4	5 1/4	7/8	3/8-24	33.5

2SC-425	4 1/4	5 1/4	7/8	3/8-24	27.0
2SC-443	4 7/16	5 3/4	7/8	3/8-24	37.1
2SC-450	4 1/2	5 3/4	7/8	3/8-24	36.1
2SC-493	4 15/16	6	7/8	3/8-24	32.7
2SC-500	5	6 1/4	7/8	3/8-24	40.5
2SC-543	5 7/16	6 3/4	7/8	3/8-24	46.1
2SC-550	5 1/2	6 3/4	7/8	3/8-24	44.5
2SC-593	5 15/16	7 1/4	7/8	3/8-24	49.9
2SC-600	6	7 1/4	7/8	3/8-24	47.7

## Split Collars – Double Stainless Steel

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
2SSC-012	1/8	5/8	5/16	4-40	0.3
2SSC-018	3/16	5/8	5/16	4-40	0.3
2SSC-025	1/4	11/16	5/16	4-40	0.3
2SSC-031	5/16	11/16	5/16	4-40	0.5
2SSC-037	3/8	7/8	3/8	6-32	0.8
2SSC-043	7/16	15/16	3/8	6-32	0.8
2SSC-050	1/2	1 1/8	13/32	8-32	1.3
2SSC-056	9/16	1 5/16	7/16	10-32	2.1
2SSC-062	5/8	1 5/16	7/16	10-32	1.9
2SSC-068	11/16	1 1/2	1/2	1/4-28	2.9
2SSC-075	3/4	1 1/2	1/2	1/4-28	2.8
2SSC-081	13/16	1 5/8	1/2	1/4-28	3.2
2SSC-087	7/8	1 5/8	1/2	1/4-28	3.1
2SSC-093	15/16	1 3/4	1/2	1/4-28	3.4
2SSC-100	1	1 3/4	1/2	1/4-28	3.2
2SSC-106	1 1/16	1 7/8	1/2	1/4-28	3.9
2SSC-112	1 1/8	1 7/8	1/2	1/4-28	3.8
2SSC-118	1 3/16	2 1/16	1/2	1/4-28	4.7
2SSC-125	1 1/4	2 1/16	1/2	1/4-28	4.5
2SSC-131	1 5/16	2 1/4	9/16	1/4-28	6.2
2SSC-137	1 3/8	2 1/4	9/16	1/4-28	6.1
2SSC-143	1 7/16	2 1/4	9/16	1/4-28	5.6
2SSC-150	1 1/2	2 3/8	9/16	1/4-28	6.4
2SSC-156	1 9/16	2 3/8	9/16	1/4-28	5.9
2SSC-162	1 5/8	2 5/8	11/16	5/16-24	10.0
2SSC-168	1 11/16	2 3/4	11/16	5/16-24	10.7
2SSC-175	1 3/4	2 3/4	11/16	5/16-24	10.7
2SSC-181	1 13/16	2 7/8	11/16	5/16-24	11.2
2SSC-187	1 7/8	2 7/8	11/16	5/16-24	11.3
2SSC-193	1 15/16	3	11/16	5/16-24	12.2
2SSC-200	2	3	11/16	5/16-24	11.7
2SSC-206	2 1/16	3 1/4	3/4	5/16-24	15.7
2SSC-212	2 1/8	3 1/4	3/4	5/16-24	15.2
2SSC-218	2 3/16	3 1/4	3/4	5/16-24	14.9
2SSC-225	2 1/4	3 1/4	3/4	5/16-24	14.3
2SSC-231	2 5/16	3 3/8	3/4	5/16-24	16.0
2SSC-237	2 3/8	3 1/2	3/4	5/16-24	16.2
2SSC-243	2 7/16	3 1/2	3/4	5/16-24	15.7
2SSC-250	2 1/2	3 3/4	7/8	3/8-24	22.3
2SSC-256	2 9/16	3 7/8	7/8	3/8-24	25.0
2SSC-262	2 5/8	3 7/8	7/8	3/8-24	24.0
2SSC-268	2 11/16	4	7/8	3/8-24	25.0
2SSC-275	2 3/4	4	7/8	3/8-24	24.0
2SSC-287	2 7/8	4 1/4	7/8	3/8-24	29.0
2SSC-293	2 15/16	4 1/4	7/8	3/8-24	28.5
2SSC-300	3	4 1/4	7/8	3/8-24	27.5
2SSC-318	3 3/16	4 1/2	7/8	3/8-24	28.8
2SSC-325	3 1/4	4 1/2	7/8	3/8-24	28.0
2SSC-343	3 7/16	4 3/4	7/8	3/8-24	28.0
2SSC-350	3 1/2	4 3/4	7/8	3/8-24	28.8
2SSC-393	3 15/16	5 1/4	7/8	3/8-24	34.4
2SSC-400	4	5 1/4	7/8	3/8-24	32.8
2SSC-443	4 7/16	5 3/4	7/8	3/8-24	38.4

<u>2SSC-450</u>	4 1/2	5 3/4	7/8	3/8-24	36.8
<u>2SSC-493</u>	4 15/16	6	7/8	3/8-24	33.6
<u>2SSC-500</u>	5	6 1/4	7/8	3/8-24	40.5

### Split Collars – Double 316 Stainless Steel

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
C2SSC-050	1/2	1 1/8	13/32	8-32	1.3
C2SSC-062	5/8	1 5/16	7/16	10-32	1.9
C2SSC-075	3/4	1 1/2	1/2	1/4-28	2.8
C2SSC-100	1	1 3/4	1/2	1/4-28	3.2
C2SSC-125	1 1/4	2 1/16	1/2	1/4-28	4.5
C2SSC-150	1 1/2	2 3/8	9/16	1/4-28	6.4

### Split Collars – Threaded Bore Black Oxide

Part #	Bore (in) - Thread	O.D. (in)	Width (in)	Screw	Weight (oz)
1TSC-025-20	1/4-20	11/16	5/16	4-40 x 3/8	0.4
1TSC-025-28	1/4-28	11/16	5/16	4-40 x 3/8	0.4
1TSC-031-18	5/16-18	11/16	5/16	4-40 x 3/8	0.4
1TSC-031-24	5/16-24	11/16	5/16	4-40 x 3/8	0.4
1TSC-037-16	3/8-16	7/8	3/8	6-32 x 3/8	0.8
1TSC-037-24	3/8-24	7/8	3/8	6-32 x 3/8	0.8
1TSC-050-13	1/2-13	1 1/8	13/32	8-32 x 1/2	1.4
1TSC-050-20	1/2-20	1 1/8	13/32	8-32 x 1/2	1.4
1TSC-062-11	5/8-11	1 5/16	7/16	10-32 x 1/2	2.0
1TSC-062-18	5/8-18	1 5/16	7/16	10-32 x 1/2	2.0
1TSC-075-10	3/4-10	1 1/2	1/2	1/4-28 x 5/8	2.9
1TSC-075-16	3/4-16	1 1/2	1/2	1/4-28 x 5/8	2.8
1TSC-087-09	7/8-9	1 5/8	1/2	1/4-28 x 5/8	3.2
1TSC-087-14	7/8-14	1 5/8	1/2	1/4-28 x 5/8	3.1
1TSC-100-08	1-8	1 3/4	1/2	1/4-28 x 5/8	3.5
1TSC-100-14	1-14	1 3/4	1/2	1/4-28 x 5/8	3.5
1TSC-112-07	1 1/8-7	1 7/8	1/2	1/4-28 x 3/4	4.0
1TSC-112-12	1 1/8-12	1 7/8	1/2	1/4-28 x 3/4	3.9
1TSC-125-07	1 1/4-7	2 1/16	1/2	1/4-28 x 3/4	4.7
1TSC-125-12	1 1/4-12	2 1/16	1/2	1/4-28 x 3/4	4.6
1TSC-150-06	1 1/2-6	2 3/8	9/16	1/4-28 x 3/4	6.7
1TSC-150-12	1 1/2-12	2 3/8	9/16	1/4-28 x 3/4	6.6
1TSC-200-12	2-12	3	11/16	5/16-24 x 1	11.8

## Split Collars – Threaded Bore Stainless Steel

Part #	Bore (in) - Thread	O.D. (in)	Width (in)	Screw	Weight (oz)
1TSSC-025-20	1/4-20	11/16	5/16	4-40 x 3/8	0.4
1TSSC-025-28	1/4-28	11/16	5/16	4-40 x 3/8	0.4
1TSSC-031-18	5/16-18	11/16	5/16	4-40 x 3/8	0.4
1TSSC-031-24	5/16-24	11/16	5/16	4-40 x 3/8	0.4
1TSSC-037-16	3/8-16	7/8	3/8	6-32 x 3/8	0.8
1TSSC-037-24	3/8-24	7/8	3/8	6-32 x 3/8	0.8
1TSSC-050-13	1/2-13	1 1/8	13/32	8-32 x 1/2	1.4
1TSSC-050-20	1/2-20	1 1/8	13/32	8-32 x 1/2	1.4
1TSSC-062-11	5/8-11	1 5/16	7/16	10-32 x 1/2	2.0
1TSSC-062-18	5/8-18	1 5/16	7/16	10-32 x 1/2	2.0
1TSSC-075-10	3/4-10	1 1/2	1/2	1/4-28 x 5/8	2.9
1TSSC-075-16	3/4-16	1 1/2	1/2	1/4-28 x 5/8	2.8
1TSSC-100-08	1-8	1 3/4	1/2	1/4-28 x 5/8	3.5
1TSSC-100-14	1-14	1 3/4	1/2	1/4-28 x 5/8	3.5
1TSSC-112-12	1 1/8-12	1 7/8	1/2	1/4-28 x 3/4	3.9
1TSSC-125-07	1 1/4-7	2 1/16	1/2	1/4-28 x 3/4	4.7
1TSSC-125-12	1 1/4-12	2 1/16	1/2	1/4-28 x 3/4	4.6
1TSSC-150-06	1 1/2-6	2 3/8	9/16	1/4-28 x 3/4	6.7
1TSSC-150-12	1 1/2-12	2 3/8	9/16	1/4-28 x 3/4	6.6
1TSSC-200-12	2-12	3	11/16	5/16-24 x 1	11.8

## Split Collars – Single Aluminum

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
1ASC-025	1/4	11/16	5/16	4-40 x 3/8	0.2
1ASC-031	5/16	11/16	5/16	4-40 x 3/8	0.2
1ASC-037	3/8	7/8	3/8	6-32 x 3/8	0.3
1ASC-050	1/2	1 1/8	13/32	8-32 x 1/2	0.6
1ASC-062	5/8	1 5/16	7/16	10-32 x 1/2	0.8
1ASC-075	3/4	1 1/2	1/2	1/4-28 x 5/8	1.2
1ASC-087	7/8	1 5/8	1/2	1/4-28 x 5/8	1.3
1ASC-100	1	1 3/4	1/2	1/4-28 x 5/8	1.4
1ASC-112	1 1/8	1 7/8	1/2	1/4-28 x 3/4	1.5
1ASC-118	1 3/16	2 1/16	1/2	1/4-28 x 3/4	1.8
1ASC-125	1 1/4	2 1/16	1/2	1/4-28 x 3/4	1.8
1ASC-143	1 7/16	2 1/4	9/16	1/4-28 x 3/4	2.5
1ASC-150	1 1/2	2 3/8	9/16	1/4-28 x 3/4	2.5
1ASC-175	1 3/4	2 3/4	11/16	5/16-28 x 1	4.0
1ASC-187	1 7/8	2 7/8	11/16	5/16-28 x 1	4.0
1ASC-193	1 15/16	3	11/16	5/16-28 x 1	4.8
1ASC-200	2	3	11/16	5/16-24 x 1	4.4

### Split Collars – Double Aluminum

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
2ASC-050	1/2	1 1/8	13/32	8-32 x 1/2	0.7
2ASC-062	5/8	1 5/16	7/16	10-32 x 1/2	0.9
2ASC-075	3/4	1 1/2	1/2	1/4-28 x 5/8	1.3
2ASC-087	7/8	1 5/8	1/2	1/4-28 x 5/8	1.4
2ASC-100	1	1 3/4	1/2	1/4-28 x 5/8	1.5
2ASC-100K	1	1 3/4	1/2	1/4-28 x 5/8	1.5
2ASC-112	1 1/8	1 7/8	1/2	1/4-28 x 3/4	1.6
2ASC-125	1 1/4	2 1/16	1/2	1/4-28 x 3/4	1.9
2ASC-150	1 1/2	2 3/8	9/16	1/4-28 x 3/4	2.6
2ASC-175	1 3/4	2 3/4	11/16	5/16-24 x 1	3.5
2ASC-193	1 15/16	3	11/16	5/16-28 x 1	4.0
2ASC-200	2	3	11/16	5/16-24 x 1	4.6

### Split Collars – Double Nylon

Part #	Bore (in)	O.D. (in)	Width (in)	Screw	Weight (oz)
2NC-025	1/4	11/16	5/16	4-40	0.1
2NC-037	3/8	7/8	3/8	6-32	0.2
2NC-050	1/2	1 1/8	13/32	8-32	0.3
2NC-062	5/8	1 5/16	7/16	10-32	0.5
2NC-075	3/4	1 1/2	1/2	1/4-28	0.7
2NC-100	1	1 3/4	1/2	1/4-28	0.8
2NC-125	1 1/4	2 1/16	1/2	1/4-28	1.0



## Split Collars – Metric Single Black Oxide

Part #	Bore (mm)	O.D. (mm)	Width (mm)	Screw	Weight (oz)
1MSC-03	3	16	9	M3 x 8	0.4
1MSC-04	4	16	9	M3 x 8	0.4
1MSC-05	5	16	9	M3 x 8	0.4
1MSC-06	6	16	9	M3 x 8	0.4
1MSC-07	7	18	9	M3 x 8	0.5
1MSC-08	8	18	9	M3 x 8	0.5
1MSC-09	9	24	9	M3 x 8	0.8
1MSC-10	10	24	9	M3 x 10	0.8
1MSC-12	12	28	11	M4 x 12	1.3
1MSC-13	13	30	11	M4 x 14	1.5
1MSC-14	14	30	11	M4 x 14	1.5
1MSC-15	15	34	13	M5 x 16	2.2
1MSC-16	16	34	13	M5 x 16	2.1
1MSC-17	17	36	13	M5 x 16	2.6
1MSC-18	18	36	13	M5 x 16	2.5
1MSC-19	19	40	15	M6 x 16	3.6
1MSC-20	20	40	15	M6 x 16	3.5
1MSC-21	21	42	15	M6 x 16	3.9
1MSC-22	22	42	15	M6 x 16	3.8
1MSC-23	23	45	15	M6 x 16	4.5
1MSC-25	25	45	15	M6 x 16	4.3
1MSC-26	26	48	15	M6 x 16	4.9
1MSC-30	30	54	15	M6 x 18	6.1
1MSC-35	35	57	15	M6 x 18	6.2
1MSC-36	36	57	15	M6 x 18	6.1
1MSC-40	40	60	15	M6 x 18	6.0
1MSC-42	42	73	19	M8 x 25	13.5
1MSC-45	45	73	19	M8 x 25	12.9
1MSC-48	48	78	19	M8 x 25	14.8
1MSC-50	50	78	19	M8 x 25	13.8
1MSC-54	54	82	19	M8 x 25	14.9
1MSC-55	55	82	19	M8 x 25	14.5
1MSC-60	60	88	19	M8 x 25	16.2
1MSC-65	65	93	19	M8 x 25	16.8
1MSC-70	70	98	19	M8 x 25	18.3
1MSC-75	75	103	19	M8 x 25	19.5
1MSC-80	80	108	19	M8 x 25	20.4

## Split Collars – Metric Double Black Oxide

Part #	Bore (mm)	O.D. (mm)	Width (mm)	Screw	Weight (oz)
2MSC-03	3	16	9	M3 x 8	0.4
2MSC-04	4	16	9	M3 x 8	0.4
2MSC-05	5	16	9	M3 x 8	0.4
2MSC-06	6	16	9	M3 x 8	0.4
2MSC-07	7	18	9	M3 x 8	0.5
2MSC-08	8	18	9	M3 x 8	0.5
2MSC-09	9	24	9	M3 x 8	0.8
2MSC-10	10	24	9	M3 x 10	0.8
2MSC-12	12	28	11	M4 x 12	1.3
2MSC-13	13	30	11	M4 x 14	1.5
2MSC-14	14	30	11	M4 x 14	1.5
2MSC-15	15	34	13	M5 x 16	2.2
2MSC-16	16	34	13	M5 x 16	2.1
2MSC-17	17	36	13	M5 x 16	2.6
2MSC-18	18	36	13	M5 x 16	2.5
2MSC-20	20	40	15	M6 x 16	3.5
2MSC-21	21	42	15	M6 x 16	3.9
2MSC-22	22	42	15	M6 x 16	3.8
2MSC-24	24	45	15	M6 x 16	4.4
2MSC-25	25	45	15	M6 x 16	4.3
2MSC-26	26	48	15	M6 x 16	4.9
2MSC-28	28	48	15	M6 x 16	4.7
2MSC-30	30	54	15	M6 x 18	6.1
2MSC-32	32	54	15	M6 x 18	5.9
2MSC-34	34	57	15	M6 x 18	6.4
2MSC-35	35	57	15	M6 x 18	6.2
2MSC-36	36	57	15	M6 x 18	6.1
2MSC-38	38	60	15	M6 x 18	6.3
2MSC-40	40	60	15	M6 x 18	6.0
2MSC-42	42	73	19	M8 x 25	13.5
2MSC-45	45	73	19	M8 x 25	12.9
2MSC-48	48	78	19	M8 x 25	14.8
2MSC-50	50	78	19	M8 x 25	13.8
2MSC-54	54	82	19	M8 x 25	14.9
2MSC-55	55	82	19	M8 x 25	14.5
2MSC-60	60	88	19	M8 x 25	16.2
2MSC-65	65	93	19	M8 x 25	16.8
2MSC-70	70	98	19	M8 x 25	18.3
2MSC-75	75	103	19	M8 x 25	19.5
2MSC-80	80	108	19	M8 x 25	20.4

### Split Collars – Metric Single Stainless Steel

Part #	Bore (mm)	O.D. (mm)	Width (mm)	Screw	Weight (oz)
1MSSC-05	5	16	9	M3 x 8	0.4
1MSSC-06	6	16	9	M3 x 8	0.4
1MSSC-08	8	18	9	M3 x 8	0.5
1MSSC-10	10	24	9	M3 x 10	0.8
1MSSC-12	12	28	11	M4 x 12	1.3
1MSSC-14	14	30	11	M4 x 14	1.5
1MSSC-15	15	34	13	M5 x 16	2.2
1MSSC-16	16	34	13	M5 x 16	2.1
1MSSC-18	18	36	13	M5 x 16	2.5
1MSSC-20	20	40	15	M6 x 16	3.5
1MSSC-25	25	45	15	M6 x 16	4.3
1MSSC-30	30	54	15	M6 x 18	6.1
1MSSC-40	40	60	15	M6 x 18	6.0
1MSSC-50	50	78	19	M8 x 25	13.8
1MSSC-60	60	88	19	M8 x 25	16.2

### Split Collars – Metric Double Stainless Steel

Part #	Bore (mm)	O.D. (mm)	Width (mm)	Screw	Weight (oz)
2MSSC-06	6	16	9	M3 x 8	0.4
2MSSC-08	8	18	9	M3 x 8	0.5
2MSSC-10	10	24	9	M3 x 10	0.8
2MSSC-12	12	28	11	M4 x 12	1.3
2MSSC-14	14	30	11	M4 x 14	1.5
2MSSC-15	15	34	13	M5 x 16	2.2
2MSSC-16	16	34	13	M5 x 16	2.1
2MSSC-17	17	36	13	M5 x 16	2.6
2MSSC-18	18	36	13	M5 x 16	2.5
2MSSC-20	20	40	15	M6 x 16	3.5
2MSSC-25	25	45	15	M6 x 16	4.3
2MSSC-30	30	54	15	M6 x 18	6.1
2MSSC-35	35	57	15	M6 x 18	5.9
2MSSC-40	40	60	15	M6 x 18	6.0
2MSSC-45	45	73	19	M8 x 25	12.5
2MSSC-50	50	78	19	M8 x 25	13.8
2MSSC-55	55	82	19	M8 x 25	14.0
2MSSC-60	60	88	19	M8 x 25	16.2
2MSSC-65	65	93	19	M8 x 25	16.7
2MSSC-70	70	98	19	M8 x 25	17.7
2MSSC-75	75	103	19	M8 x 25	18.8
2MSSC-80	80	108	19	M8 x 25	19.7

### Rigid Couplings – Black Oxide

Part #	Bore (in)	O.D. (in)	Length (in)	Screw	Weight (oz)
RC-025	1/4	1/2	3/4	10-32	0.5
RC-031	5/16	5/8	1	10-32	1.0
RC-037	3/8	3/4	1	1/4-28	1.4
RC-050	1/2	1	1 1/2	1/4-28	3.8
RC-050KW	1/2	1	1 1/2	1/4-28	3.8
RC-062	5/8	1 1/4	2	5/16-18	8.0
RC-062KW	5/8	1 1/4	2	5/16-18	8.0
RC-075	3/4	1 1/2	2	5/16-18	11.6
RC-075KW	3/4	1 1/2	2	5/16-18	11.6
RC-087	7/8	1 3/4	2	5/16-18	16.0
RC-087KW	7/8	1 3/4	2	5/16-18	16.0
RC-100	1	2	3	3/8-16	32.0
RC-100KW	1	2	3	3/8-16	32.0
RC-112KW	1 1/8	2 1/8	3	5/16-18	
RC-118KW	1 3/16	2 1/4	4	3/8-16	
RC-125	1 1/4	2 1/4	4	3/8-16	48.3
RC-125KW	1 1/4	2 1/4	4	3/8-16	48.3
RC-137	1 3/8	2 1/2	4 1/2	3/8-16	0.5
RC-137KW	1 3/8	2 1/2	4 1/2	3/8-16	1.0
RC-143KW	1 7/16	2 1/2	4 1/2	3/8-16	1.4
RC-150	1 1/2	2 1/2	4 1/2	3/8-16	3.8
RC-150KW	1 1/2	2 1/2	4 1/2	3/8-16	3.8
RC-175KW	1 3/4	2 3/4	4 1/2	1/2-13	8.0
RC-193KW	1 15/16	3 1/4	4 1/2	1/2-13	8.0
RC-200KW	2	3 1/4	4 1/2	1/2-13	11.6
RC-218KW	2 3/16	3 1/2	4 1/2	1/2-13	11.6
RC-225KW	2 1/4	3 1/2	4 1/2	1/2-13	16.0

### Rigid Couplings – Stainless Steel

Part #	Bore (in)	O.D. (in)	Length (in)	Screw	Weight (oz)
RC-025-S	1/4	1/2	3/4	10-32	0.5
RC-031-S	5/16	5/8	1	10-32	1.0
RC-037-S	3/8	3/4	1	1/4-28	1.4
RC-050-S	1/2	1	1 1/2	1/4-28	3.8
RC-050-S-KW	1/2	1	1 1/2	1/4-28	3.8
RC-062-S	5/8	1 1/4	2	5/16-18	8.0
RC-062-S-KW	5/8	1 1/4	2	5/16-8	8.0
RC-075-S	3/4	1 1/2	2	5/16-18	11.6
RC-075-S-KW	3/4	1 1/2	2	5/16-8	11.6
RC-100-S	1	2	3	3/8-16	32.0
RC-100-S-KW	1	2	3	3/8-16	32.0
RC-125-S	1 1/4	2 1/4	4	3/8-16	48.3
RC-125-S-KW	1 1/4	2 1/4	4	3/8-16	48.3

### Split Couplings – Single Black Oxide

Part #	Bore (in)	O.D. (in)	Length (in)	Screw	Weight (oz)
CC-025-025	1/4	13/16	1 1/4	4-40	2.3
CC-037-037-KW	3/8	1 1/16	1 5/8	6-32	5.0
CC-050-050-KW	1/2	1 1/4	1 7/8	8-32	7.7
CC-062-062-KW	5/8	1 1/2	2 1/4	10-32	13.3
CC-075-075-KW	3/4	1 3/4	2 5/8	1/4-28	20.9
CC-087-087-KW	7/8	1 7/8	2 7/8	1/4-28	25.4
CC-100-100-KW	1	2	3	1/4-28	29.0
CC-112-112-KW	1 1/8	2 1/8	3 1/4	1/4-28	34.7
CC-125-125-KW	1 1/4	2 1/4	3 3/8	1/4-28	38.4
CC-137-137-KW	1 3/8	2 3/8	3 5/8	1/4-28	44.7
CC-150-150-KW	1 1/2	2 1/2	3 3/4	1/4-28	49.5
CC-175-175-KW	1 3/4	3	4 1/2	15/16-24	90.0
CC-200-200-KW	2	3 1/4	4 7/8	15/16-24	99.9

### Split Couplings – Double Black Oxide

Part #	Bore (in)	O.D. (in)	Length (in)	Screw	Weight (oz)
2CC-050-050-KW	1/2	1 1/4	1 7/8	8-32	7.9
2CC-062-062-KW	5/8	1 1/2	2 1/4	10-32	22.5
2CC-075-075-KW	3/4	1 3/4	2 5/8	1/4-28	22.0
2CC-087-087-KW	7/8	1 7/8	2 7/8	1/4-28	26.0
2CC-100-100-KW	1	2	3	1/4-28	29.1
2CC-112-112-KW	1 1/8	2 1/8	3 1/4	1/4-28	34.2
2CC-125-125-KW	1 1/4	2 1/4	3 3/8	1/4-28	42.4
2CC-137-137-KW	1 3/8	2 3/8	3 5/8	1/4-28	44.7
2CC-150-150-KW	1 1/2	2 1/2	3 3/4	1/4-28	49.5
2CC-175-175-KW	1 3/4	3	4 1/2	15/16-24	90.0
2CC-200-200-KW	2	3 1/4	4 7/8	15/16-24	99.9

### Split Couplings – Single Stainless Steel

Part #	Bore (in)	O.D. (in)	Length (in)	Screw	Weight (oz)
CC-025-025-S	1/4	13/16	1 1/4	4-40	2.3
CC-037-037-S-KW	3/8	1 1/16	1 5/8	6-32	5.0
CC-050-050-S-KW	1/2	1 1/4	1 7/8	8-32	7.7
CC-062-062-S-KW	5/8	1 1/2	2 1/4	10-32	13.3
CC-075-075-S-KW	3/4	1 3/4	2 5/8	1/4-28	20.9
CC-100-100-S-KW	1	2	3	1/4-28	29.0

### Split Couplings – Double Stainless Steel

Part #	Bore (in)	O.D. (in)	Length (in)	Screw	Weight (oz)
2CC-050-050-S-KW	1/2	1 1/4	1 7/8	8-32	7.9
2CC-062-062-S-KW	5/8	1 1/2	2 1/4	10-32	22.5
2CC-075-075-S-KW	3/4	1 3/4	2 5/8	1/4-28	22.0
2CC-087-087-S-KW	7/8	1 7/8	2 7/8	1/4-28	26.0
2CC-100-100-S-KW	1	2	3	1/4-28	29.1